





# 155gn Lapua Scenar Conversion Table - For use ONLY with the .308-175 SMK-2700 fps FDAC slide


## Instructions for use:


- 1) Select the muzzle velocity from the listed tables below that most closely matches the muzzle velocity of your 155gn Lapua Scenar ammunition.
- 2) Print and cut out the appropriate table for your application.
- 3) Affix the table to your desired location on your FDAC. **NOTE:** Ensure your rifle/scope is zeroed to the 155 Scenar load you wish to shoot.

155 Scenar, MV: 2850 FPS using 175 SMK/2700 FPS slide						155 Scenar, MV: 2850 FPS using 175 SMK/2700 FPS slide							
YARDS	DA	-3,000 to +3,000		+3,000 to +10,000		MOA	YARDS	DA	-3,000 to +3,000		+3,000 to +10,000		0.1 MRAD
	Range	Elevation	Windage	Elevation	Windage			Range	Elevation	Windage	Elevation	Windage	
	100	0	0	0	0			100	0	0	0	0	
	200	-0.5	0	-0.5	0			200	-0.1	0	-0.1	0	
	300	-0.75	0	-0.75	0			300	-0.2	0	-0.2	0	
	400	-1.0	0	-1.0	0			400	-0.3	0	-0.3	0	
	500	-1.5	0	-1.0	0			500	-0.4	0	-0.3	0	
	600	-1.75	-0.5	-1.75	0			600	-0.5	-0.1	-0.5	0	
	700	-2.0	-0.5	-2.0	0			700	-0.6	-0.1	-0.6	0	
	800	-2.75	-0.5	-2.5	0			800	-0.8	-0.1	-0.7	0	
	900	-3.5	0	-3.0	0			900	-1.0	0	-0.9	0	
	1000	-4.0	-0.5	-3.75	-0.5			1000	-1.2	-0.1	-1.1	-0.1	
SUBTRACT listed values from 175/2700 slide						SUBTRACT listed values from 175/2700 slide							
© ACTS, LLC 2011						© ACTS, LLC 2011							
													
adaptive						adaptive							

155 Scenar, MV: 2900 FPS using 175 SMK/2700 FPS slide					
YARDS	DA	-3,000 to +3,000		+3,000 to +10,000	
	Range	Elevation	Windage	Elevation	Windage
	100	0	0	0	0
	200	-0.5	0	-0.5	0
	300	-0.75	0	-0.75	0
	400	-1.0	0	-1.0	0
	500	-1.75	0	-1.5	0
	600	-2.0	-0.5	-2.0	-0.5
	700	-2.75	-0.5	-2.75	0
	800	-3.5	-0.5	-3.5	0
	900	-4.5	-0.5	-3.75	-0.5
	1000	-5.5	-0.5	-4.75	-0.5
SUBTRACT listed values from 175/2700 slide					
© ACTS, LLC 2011					
					
adaptive					

155 Scenar, MV: 2900 FPS using 175 SMK/2700 FPS slide					
YARDS	DA	-3,000 to +3,000		+3,000 to +10,000	
	Range	Elevation	Windage	Elevation	Windage
	100	0	0	0	0
	200	-0.1	0	-0.1	0
	300	-0.2	0	-0.2	0
	400	-0.3	0	-0.3	0
	500	-0.5	0	-0.4	0
	600	-0.6	-0.1	-0.6	-0.1
	700	-0.8	-0.1	-0.8	0
	800	-1.0	-0.1	-1.0	0
	900	-1.3	-0.1	-1.1	-0.1
	1000	-1.6	-0.1	-1.4	-0.1
SUBTRACT listed values from 175/2700 slide					
© ACTS, LLC 2011					
					
adaptive					

155 Scenar, MV: 2950 FPS using 175 SMK/2700 FPS slide					
YARDS	DA	-3,000 to +3,000		+3,000 to +10,000	
	Range	Elevation	Windage	Elevation	Windage
	100	0	0	0	0
	200	-0.5	0	-0.5	0
	300	-1.0	0	-0.75	0
	400	-1.5	0	-1.5	0
	500	-2.0	0	-1.75	0
	600	-2.75	-0.5	-2.5	-0.5
	700	-3.5	-0.5	-3.5	-0.5
	800	-4.5	-0.75	-4.0	-0.5
	900	-5.5	-0.5	-4.75	-0.5
	1000	-6.5	-0.75	-5.75	-0.5
SUBTRACT listed values from 175/2700 slide					
© ACTS, LLC 2011					
					
adaptive					

155 Scenar, MV: 2950 FPS using 175 SMK/2700 FPS slide					
YARDS	DA	-3,000 to +3,000		+3,000 to +10,000	
	Range	Elevation	Windage	Elevation	Windage
	100	0	0	0	0
	200	-0.1	0	-0.1	0
	300	-0.3	0	-0.2	0
	400	-0.4	0	-0.4	0
	500	-0.6	0	-0.5	0
	600	-0.8	-0.1	-0.7	-0.1
	700	-1.0	-0.1	-1.0	-0.1
	800	-1.3	-0.2	-1.2	-0.1
	900	-1.6	-0.1	-1.4	-0.1
	1000	-1.9	-0.2	-1.7	-0.1
SUBTRACT listed values from 175/2700 slide					
© ACTS, LLC 2011					
					
adaptive					