

Oehler 89



Test File Name: 156creed30.xls

Location:

Operator:

Test Date: 02/06/2022 13:05

Temperture: 31 °F

Station Pressure: 24.15 in Hg

Humidity: 55 %

Wind Speed: 0 mph

Wind Direction: 10:00 o'clock

Drag Function: G7

Gun Unit -----

Serial Num: S89-0053

Signal Level: 80

ScrA to ScrC: 9.000 feet

Target Unit -----

Serial Num: S89-0054

Type: Impact Target

Size: 1.0

Signal Level: 80 feet

Range: 501.2 yards

Edit Status: Original

Test Folder: C:\OehlerSys89\TestFiles\

Report Folder: C:\OehlerSys89\ReportExport\

Excel Folder: C:\OehlerSys89\DataExport\

Test Note: Default Test Setup

Round Number	Gun Unit		Impact Target 499.7 Y	
	VelAC	Prf Vel	T.O.F.	B.C.
1	2512	7.7	0.66703	0.3513
2	2500	15.4	0.66789	0.3627
3	2505	9.1	0.66914	0.3506
4	---	---	---	---
5	2521	9.9	0.66469	0.3505
6	2509	7.7	0.66690	0.3555
7	---	---	---	---
8	2540	7.2	0.66043	0.3466
9	2510	9.8	0.66812	0.3491
10	2541	7.2	0.66010	0.3464
11	2525	7.1	0.66332	0.3513
12	2513	7.7	0.66985	0.3375

----- SUMMARY -----

	Gun Unit		Impact Target 499.7 Y	
	VelAC	Prf Vel	T.O.F.	B.C.
Avg: 2518	8.9		0.66575	0.3502
SD: 14	2.5		0.00345	0.0065
High: 2541	15.4		0.66985	0.3627
Low: 2500	7.1		0.66010	0.3375
ES: 41	8.3		0.00975	0.0252